

Table 8. Tukey post hoc comparisons for Positive Worry and Negative Worry factor scores

Comparison	Mean difference	95% CI lower	95% CI upper	SE	df	t	Cohen's d	d lower	d upper	pTukey
Panel A. Positive Worry (F1)										
No vs Partially	-0.213	-0.797	0.370	0.226	283	-0.946	-0.211	-0.806	0.383	.780
No vs Not yet	-0.058	-0.693	0.576	0.246	283	-0.238	-0.058	-0.705	0.589	.995
No vs Yes	-0.046	-0.481	0.389	0.168	283	-0.273	-0.046	-0.489	0.398	.993
Partially vs Not yet	0.155	-0.509	0.819	0.257	283	0.603	0.154	-0.523	0.830	.931
Partially vs Yes	0.167	-0.309	0.644	0.184	283	0.908	0.166	-0.320	0.651	.800
Not yet vs Yes	0.012	-0.526	0.551	0.208	283	0.060	0.012	-0.536	0.561	1.000
Panel B. Negative Worry (F2)										
No vs Partially	-0.213	-0.797	0.370	0.226	283	-0.946	-0.211	-0.806	0.383	.780
No vs Not yet	-0.058	-0.693	0.576	0.246	283	-0.238	-0.058	-0.705	0.589	.995
No vs Yes	-0.046	-0.481	0.389	0.168	283	-0.273	-0.046	-0.489	0.398	.993
Partially vs Not yet	0.155	-0.509	0.819	0.257	283	0.603	0.154	-0.523	0.830	.931
Partially vs Yes	0.167	-0.309	0.644	0.184	283	0.908	0.166	-0.320	0.651	.800
Not yet vs Yes	0.012	-0.526	0.551	0.208	283	0.060	0.012	-0.536	0.561	1.000

Source: The authors

Note: Comparisons were performed across the four categories of self-perceived success (AS1). CI = confidence interval; SE = standard error; df = degrees of freedom. pTukey values were adjusted using the Tukey method. Confidence intervals for Cohen's d were adjusted using the Bonferroni method. Values are rounded to three decimal places.